

Department Environment and Biodiversity

Laboratory Unit:	Geology
Room:	E-K.027
Responsible:	Flora Boekhout
Co-Responsible:	Veronika Tenczer
Consultation prior to work:	Flora Boekhout
Latest update:	September 2023

Local Safety Rules for ICP-MS Laboratory

- The use of the labs is only allowed after approval by the responsible persons.
- Argon gas bottles may only be changed by people who have been authorized by the (co-) responsible people of this lab.
- All laboratory activities may only be carried out with appropriate protective clothing (i.e. lab coat, goggles, gloves, rubber apron, face visor).
- Eating, drinking, smoking and application of cosmetics is forbidden.
- Windows should be kept closed at all times (!)
- Accidents and near-accidents have to be reported immediately to the laboratory manager.
- The Fire Protection Ordinance applies. Fire protection equipment must not be put out of operation.
- Alone work is permitted provided training has taken place and relevant documents are filed correctly.
- For laboratory work (not measurements) running overnight and over the weekend, an up to date permit must be put on the outside door. Permits must be completed by researcher and supervisor filed with the FB administration (Silja Parke).

Emergency



Building manager: ext 6821

Fire: 0 – 122

Ambulance: 0 – 144

Info Poisoning Treatment: 01- 406 43 43

User:

I confirm that I have read and understood the above Local Safety Rules

Date _____

Signature _____

Laboratory Responsible:

I confirm that above named person was trained on the basis of the Local Safety Rules.

Date _____

Signature _____